

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: CAS Number: EC Number: REACH Number: Acetic Acid 78-80% 64-19-7 200-580-7 01-2119475328-30-xxxx

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use: Laboratory chemicals, manufacture of substances

#### **1.3 Details of the supplier of the safety data sheet**

Company name:

East Harbour Group Ltd 20 Clough Road, Severalls Industrial Park Colchester, Essex, CO4 9QS United Kingdom

Telephone: Email: +44 (0) 333 242 0100 info@eastharbourgroup.com

#### 1.4 Emergency telephone number

**Emergency telephone:** 

0800 246 1274

Section 2: Hazardous identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 3), H226 Skin corrosion (Category 1B), H314 Classification according to EU Directive 67/548/EEC or 1999/45/EC C: Corrosive: R10 R34

**2.2 Label elements** Labelling according to Regulation (EC) No 1272/2008 Pictogram



eastharbourgroup.com info@eastharbourgroup.com +44 (0)333 242 0100



Signal word: Hazard statements:	Danger	
H314:	Causes severe skin burns and eye damage	
Precautionary statements:		
P303+P361+P353 - IF ON SKIN (or hair):	Remove immediately all contaminated clothing. Rinse skin with water/shower.	
P210:	Keep away from hot surfaces and open flames. No smoking.	
P241:	Use explosion-proof electrical/ventilating/lighting// equipment.	
P260:	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280:	Wear protective gloves/protective clothing/eye protection/face protection	
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310:	Immediately call a POISON CENTRE or doctor/physician.	
P501:	Dispose of this material and its container to hazardous or special waste collection point.	
S-phrases:		
S26:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
S36/37/39:	Wear suitable protective clothing, gloves and eye/face protection.	
S45:	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)	
2.3 Other hazards		
Physical/chemical hazards:	Attacks metals with liberation of hydrogen gas.	
Hazards for the health:	A health dangerous concentration in the air will very quickly be reached by evaporation of this substance at app. 20°C; even faster by spraying.	
Hazards for the environment:	Product causes a strong drop of the pH-value of water and soil.	
	This product is no substance or contains no PBT or vPvB (in accordance with Annex XIII).	
Hazards for the safety:	Vapor mixes readily with air. At or above flash point, available vapours may burn in open or explode if confined when mixed with air and exposed to ignition source.	

### Section 3: Composition/information on ingredients

### 3.2 Mixtures

CAS #	Content (W/W)	Ingredients
64-19-7	50-80%	Acetic Acid

Chemical name: Acetic Acid 78-80% Common name / synonyms: Glacial acetic acid



#### Section 4: First aid measures

#### 4.1 Description of first aid measures

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If swallowed: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available

### Section 5: Fire-fighting measures

#### 5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### Section 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or wet-brushing and place in container for disposal according to local regulations.



#### Section 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition – No smoking. Take measures to prevent the build-up of electrostatic charge.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Section 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational Exposure Limits:**

Acetic acid ...% : Limit value (BE) : 10 ppm (25 mg/m<sup>3</sup>) (2014) Acetic acid ...% : Short time value (BE) : 15 ppm (38 mg/m<sup>3</sup>) (2014) Biological limit values : They will be included when available. **DNELs :** Acetic acid ...% : Worker, acute - local effects, inhalation : 25 mg/m<sup>3</sup> Acetic acid ...% : Worker, long-term - local effects, inhalation : 25 mg/m<sup>3</sup>

Acetic acid ...% : Consumer, acute - local effects, inhalation : 25 mg/m<sup>3</sup>

Acetic acid ...% : Consumer, long-term - local effects, inhalation : 25 mg/m<sup>3</sup> **PNECs :** 

- Acetic acid ...% : Fresh water : 3,058 mg/l
- Acetic acid ...% : Marine water : 0,3058 mg/l
- Acetic acid ...% : Fresh water sediment : 11,36 mg/kg
- Acetic acid ...% : Marine water sediment : 1,136 mg/kg
- Acetic acid ...% : Soil : 0,478 mg/kg
- Acetic acid ...% : Intermittent release : 30,58 mg/l
- Acetic acid ...% : Sewage treatment plant : 85 mg/l

#### 8.2 Exposure controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 8.3 Personal protective equipment

**Eye/face protection:** Tightly fitting safety goggles. Face shield (8-inches minimum). Use equipment for eye protection tested and approved under appropriate government standards.

**Skin protection:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



**Body protection:** Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection:** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance **Physical State** Odour **Odour Threshold** pН **Melting Point/Range Boiling Point/Range** Flash Point **Evaporation Rate** Flammability (solid, gas) **Explosion Limits** Vapour Pressure (20 C) Relative density of saturated vapour/air mixture (air=1) Relative density (water=1) Specific Gravity / Density **Bulk Density** Water Solubility Solubility in other solvents Viscosity **Partition Coefficient** Auto-ignition temperature **Decomposition temperature** 

Colourless Liquid Acetic odour 0.074 ppm < 2 -26 C to 7 C 101-107 C >61 C 0.97 (Butyl acetate = 1) No information available No information available 1.0-1.5 kPa 1.02

App 1.02 No information available No information available Completely soluble Chloroform 2,043 - 2,547 mm2/s (Kinematic) No information available 485 C No information available

#### Section 10: Stability and Reactivity

10.1 Reactivity 10.2 Chemical Stability 10.3 Possibility of hazardous reactions Reacts violently with oxidising agents and lyes Stable under recommended storage conditions In contact with Potassium tertbutoxide, the substance ignites. Violent reaction possible with Acetaldehyde and Acetic anhydride

## eastharbourgroup.com info@eastharbourgroup.com +44 (0)333 242 0100

10.4 Conditions to avoid 10.5 Incompatible materials

**10.6 Hazardous decomposition products** 

### Section 11: Toxicological Information

Product Information

11.1 Toxicological effects:

#### Acute toxicity

**Inhalation:** Inhalation can cause pneumonia and/or pulmonary oedema, but only after signs of corrosive effects on the mucous membranes of the eyes and/or the upper respiratory tract.

**Symptoms include:** Sore throat, Cough, Burning feeling, Tears, Shortness of breath, Difficulty in breathing. Acetic acid ...% : LC50 (Rat, inhalation, 4 h) : 11,4 mg/l (Vapour; OECD Guideline 403)

Skin contact: Symptoms include: Redness, Pain, Severe burns, Blisters.

Acetic acid ...% : LD50 (Rat, dermal) : No data available.

Ingestion: Tooth erosion may occur

**Symptoms include**: Burning feeling, Sore throat, Abdominal cramps, Diarrhoea, Unconsciousness. Acetic acid ...% : LD50 (Rat, oral) : 3310 mg/kg

**Skin corrosion/irritation:** Skin contact can damage eczema. Repeated exposure to high concentrations :

Thickening of the skin , Blackening of the hands . Serious eye damage/irritation : Repeated exposure to high concentrations : Conjunctivitis .

Aspiration hazard : May cause lung disorders. Repeated exposure to high concentrations : Histopathological changes in the airways . Exposure may cause asthmatic reaction

Respiratory or skin sensitisation : Not sensitive .

Carcinogenicity : Not listed as carcinogenic .

Mutagenicity : Not listed as mutagenic .

Reproductive toxicity : Not listed for reproductive toxicity .

Specific target organ toxicity - single exposure: To human : Listed not for organ toxicity. For animals : No effects known.

Specific target organ toxicity - repeated exposure: To human : Listed not for organ toxicity. For animals : Irritation of gastrointestinal tract .

**Section 12: Ecological Information** 

#### 12.1 Toxicity Ecotoxicity effects

• Acetic acid ...% : LC50 (Fish, 96 h) : 300,82 mg/l (Oncorhynchus mykiss) ( OECD Guideline 203)

- Acetic acid ...% : EC50 (Algae, 72 h) : 300,82 mg/l (Desmodesmus subspicatus) ( OECD Guideline 201)
- Acetic acid ...% : EC50 (Daphnia magna, 48 h) : 300,82 mg/l ( OECD Guideline 202)

Persistence and biodegradability: readily biodegradable

Bioaccumulative potential: bioaccumulation is not expected



Date: 26.10.2022



Heat, flames and sparks Oxidising agents, metals, amines, alcohols, peroxides, permanganates, soluble carbonates and phosphates, hydroxides No information available MATERIAL SAFETY DATA SHEET

# Acetic Acid 78-80%



Mobility in soil: low adsorption potential in soil Results of PBT and vPvB assessment: No

### Section 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Waste disposal of substance:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Container disposal:

Dispose of as unused product.

### Section 14: Transport Information

UN number ADR/RID: 2790	IMDG: 2790	IATA: 2790		
UN proper shipping name ADR/RID: ACETIC ACID SOLUTION	IMDG: ACETIC ACID SOLUTION	IATA: Acetic Aid Solution		
Transport hazard class(es) ADR/RID: 8	IMDG: 8	IATA: 8		
Packing group ADR/RID: II	IMDG: II	IATA: II		
Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
Special precautions Danger number: 80 Hazard Label(s): 8 EmS-N°: F-A, S-B				
Transport in bulk according to Annex II of MARPOL and the IBC Code Type ship: 3 Pollution category: Z				

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.



#### **Section 15: Regulatory Information**

Relevant EU Rule(s): Directive 98/24/EC of the Council of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work Decision 2001/118/EC of the Commission of 16 January 2001 amending Decision 2000/532/EC as regards the list of wastes Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (Reach)