Acetic Acid 78-80%



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Acetic Acid 78-80%

CAS Number: 64-19-7 EC Number: 200-580-7

REACH Number: 01-2119475328-30-xxxx

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use: Laboratory chemicals, manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company name: East Harbour Group Ltd

20 Clough Road, Severalls Industrial Park

Colchester, Essex, CO4 9QS

United Kingdom

Telephone: +44 (0) 333 242 0100

Email: info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone: 0800 246 1274

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Skin corrosion (Category 1B), H314

Classification according to EU Directive 67/548/EEC or 1999/45/EC

C: Corrosive: R10 R34

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Pictogram



Acetic Acid 78-80%



Signal word: Danger

Hazard statements:

H314: Causes severe skin burns and eye damage

Precautionary statements:

P303+P361+P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with

water/shower.

P210: Keep away from hot surfaces and open flames. No smoking. P241: Use explosion-proof electrical/ventilating/lighting/../ equipment.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face P280:

protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P310: Immediately call a POISON CENTRE or doctor/physician.

P501: Dispose of this material and its container to hazardous or special

waste collection point.

S-phrases:

S26: In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45:

In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible)

2.3 Other hazards

Physical/chemical hazards: Attacks metals with liberation of hydrogen gas.

Hazards for the health: A health dangerous concentration in the air will very quickly be

reached by evaporation of this substance at app. 20°C; even

faster by spraying.

Hazards for the environment: Product causes a strong drop of the pH-value of water and soil.

This product is no substance or contains no PBT or vPvB (in

accordance with Annex XIII).

Vapor mixes readily with air. At or above flash point, available Hazards for the safety:

vapours may burn in open or explode if confined when mixed with

air and exposed to ignition source.

Section 3: Composition/information on ingredients

3.2 Mixtures

CAS#	Content (W/W)	Ingredients
64-19-7	50-80%	Acetic Acid

Chemical name: Acetic Acid 78-80%

Acetic Acid 78-80%



Section 4: First aid measures

4.1 Description of first aid measures

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If swallowed: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available

Section 5: Fire-fighting measures

5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or wet-brushing and place in container for disposal according to local regulations.

Acetic Acid 78-80%



Section 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits:

Acetic acid ...%: Limit value (BE): 10 ppm (25 mg/m³) (2014) Acetic acid ...%: Short time value (BE): 15 ppm (38 mg/m³) (2014)

Biological limit values: They will be included when available.

DNELs:

Acetic acid ...%: Worker, acute - local effects, inhalation: 25 mg/m3 Acetic acid ...%: Worker, long-term - local effects, inhalation: 25 mg/m3 Acetic acid ...%: Consumer, acute - local effects, inhalation: 25 mg/m3 Acetic acid ...%: Consumer, long-term - local effects, inhalation: 25 mg/m3

PNECs:

Acetic acid ...%: Fresh water: 3,058 mg/l Acetic acid ...%: Marine water: 0,3058 mg/l

Acetic acid ...%: Fresh water sediment: 11,36 mg/kg Acetic acid ...%: Marine water sediment: 1,136 mg/kg

Acetic acid ...%: Soil: 0,478 mg/kg

Acetic acid ...%: Intermittent release: 30,58 mg/l Acetic acid ...%: Sewage treatment plant: 85 mg/l

8.2 Exposure controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective equipment

Eyelface protection: Tightly fitting safety goggles. Face shield (8-inches minimum). Use equipment for eye protection tested and approved under appropriate government standards.

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Acetic Acid 78-80%



Body protection: Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colourless
Physical State Liquid
Odour Acetic odour
Odour Threshold 0.074 ppm
pH < 2

Melting Point/Range -26 C to 7 C
Boiling Point/Range 101-107 C

Flash Point >61 C

Evaporation Rate0.97 (Butyl acetate = 1)Flammability (solid, gas)No information availableExplosion LimitsNo information available

Vapour Pressure (20 C) 1.0-1.5 kPa

Relative density of saturated vapour/air mixture 1.02

(air=1)

Relative density (water=1) App 1.02

Specific Gravity / Density

Bulk Density

No information available

No information available

Water Solubility

Completely soluble

Solubility in other solvents Chloroform

Viscosity 2,043 - 2,547 mm2/s (Kinematic)

Partition Coefficient No information available

Auto-ignition temperature 485 C

Decomposition temperatureNo information available

Section 10: Stability and Reactivity

10.1 Reactivity

10.2 Chemical Stability

10.3 Possibility of hazardous reactions

Reacts violently with oxidising agents and lyes Stable under recommended storage conditions

In contact with Potassium tertbutoxide, the substance ignites. Violent reaction possible with Acetaldehyde and Acetic anhydride

Acetic Acid 78-80%



10.4 Conditions to avoid 10.5 Incompatible materials

Heat, flames and sparks
Oxidising agents, metals, amines, alcohols,
peroxides, permanganates, soluble carbonates and
phosphates, hydroxides
No information available

10.6 Hazardous decomposition products

Section 11: Toxicological Information

Product Information

11.1 Toxicological effects:

Acute toxicity

Inhalation: Inhalation can cause pneumonia and/or pulmonary oedema, but only after signs of corrosive effects on the mucous membranes of the eyes and/or the upper respiratory tract.

Symptoms include: Sore throat, Cough, Burning feeling, Tears, Shortness of breath, Difficulty in breathing.

Acetic acid ...%: LC50 (Rat, inhalation, 4 h): 11,4 mg/l (Vapour; OECD Guideline 403)

Skin contact: Symptoms include: Redness, Pain, Severe burns, Blisters.

Acetic acid ...%: LD50 (Rat, dermal): No data available.

Ingestion: Tooth erosion may occur

Symptoms include: Burning feeling, Sore throat, Abdominal cramps, Diarrhoea, Unconsciousness.

Acetic acid ...%: LD50 (Rat, oral): 3310 mg/kg

Skin corrosion/irritation: Skin contact can damage eczema. Repeated exposure to high concentrations: Thickening of the skin, Blackening of the hands. Serious eye damage/irritation: Repeated exposure to high concentrations: Conjunctivitis.

Aspiration hazard : May cause lung disorders. Repeated exposure to high concentrations : Histopathological changes in the airways . Exposure may cause asthmatic reaction.

Respiratory or skin sensitisation: Not sensitive.

Carcinogenicity: Not listed as carcinogenic.

Mutagenicity: Not listed as mutagenic.

Reproductive toxicity: Not listed for reproductive toxicity.

Specific target organ toxicity - single exposure: To human : Listed not for organ toxicity. For animals : No effects known.

Specific target organ toxicity - repeated exposure: To human : Listed not for organ toxicity. For animals : Irritation of gastrointestinal tract .

Section 12: Ecological Information

12.1 Toxicity Ecotoxicity effects

- Acetic acid ...%: LC50 (Fish, 96 h): 300,82 mg/l (Oncorhynchus mykiss) (OECD Guideline 203)
- Acetic acid ...%: EC50 (Algae, 72 h): 300,82 mg/l (Desmodesmus subspicatus) (OECD Guideline 201)
- Acetic acid ...%: EC50 (Daphnia magna, 48 h): 300,82 mg/l (OECD Guideline 202)

Persistence and biodegradability: readily biodegradable

Acetic Acid 78-80%



Bioaccumulative potential: bioaccumulation is not expected.

Mobility in soil: low adsorption potential in soil Results of PBT and vPvB assessment: No

Section 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Container disposal:

Dispose of as unused product.

Section 14: Transport Information

UN number

ADR/RID: 2790 IMDG: 2790 IATA: 2790

UN proper shipping name

ADR/RID: ACETIC ACID SOLUTION IMDG: ACETIC ACID SOLUTION IATA: Acetic Acid Solution

Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

Packing group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions Danger number: 80 Hazard Label(s): 8 EmS-N°: F-A, S-B

Transport in bulk according to Annex II of MARPOL and the IBC Code

Type ship: 3

Pollution category: Z

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Acetic Acid 78-80%



Section 15: Regulatory Information

Relevant EU Rule(s): Directive 98/24/EC of the Council of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work Decision 2001/118/EC of the Commission of 16 January 2001 amending Decision 2000/532/EC as regards the list of wastes Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/ 2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (Reach)

Document Number: 106 Version Number: 6 Date: 16.02.2024