

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Hydrocarbons, C10, aromatics, >1% Naphthalene

CAS Number: 64742-94-5 EC Number: 919-284-0

REACH Number 01-2119463588-24-

Index Number: -

Additional relevant and available information Hydrosol A200

Hydrosol A200 PP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Manufacture of substances

Distribution of substance

Formulation & (re) packing of substances and mixture

Uses in coatings
Use in cleaning agent

Use in oil and gas field drilling and production

operations Lubricants

Metal working fluids / rolling oils Use as binders and release agents

Use as a fuel Functional Fluids

Road and construction applications

Use in laboratories Polymer processing Water treatment chemicals

1.3 Details of the supplier of the safety data sheet

Company name:

East Harbour Group Ltd

20 Clough Road, Severalls Industrial Park

Colchester, Essex, CO4 9QS

United Kingdom

Telephone: +44 (0) 333 242 0100

Email: info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone: 0800 246 1274

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard Class	Category	Hazard class and Category	Hazard statement
Carcinogenicity	Cat. 2	(Carc. 2)	H351
Specific target organ toxicity – single exposure (narcotic effects, drowsiness)	Cat. 3	(STOT SE3)	H336



Aspiration hazard	Cat. 1	(Asp. Tox.1)	H304
Hazardous to the aquatic environment – chronic hazard	Cat. 2	(Aquatic Chronic 2)	H411

Remarks:

For full text of H-phrases: see Section 16.

Substance with a community indicative occupational exposure limit value.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

The most important adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms







GHS07, GHS08, GHS09

Hazard statements

H304 May be fatal if swallowed and enters airways

H336 May cause drowsiness or dizziness

H351 Suspected of causing cancer

H411 Toxic to aquatic life with long lasting effect

Precautionary statements

Prevention

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician

P312 Call a POISON CENTRE or doctor/physician if you feel unwell

P331 Do NOT induce vomiting

P391 Collect spillage

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 Dispose of contents/container to industrial combustion plant

Additional labelling requirements

EUH066 Repeated exposure may cause skin dryness or cracking

2.3 Other hazards

According to the results of its assessment, this substance is not PBT or vPvB. This material is combustible but will not ignite readily. Vapour heavier than air, may form an explosive mixture in air at temperatures above the flashpoint. Slip hazard by spilled and leaked out product. Flowing product can create electrostatic charge, resulting sparks may ignite or cause an explosion.



Section 3: Composition/information on ingredients

3.1 Substances

Name of substance Hydrocarbons, C10, aromatics, >1% Naphthalene

Registration number (REACH) 01-2119463588-24-

EC Number 919-284-0 CAS Number 64742-94-5

Index Number

Purity 100%

Hazardous ingredients

Name of Substance	Identifier	Wt%	Classification acc. to GHS
Naphthalene	CAS No. 91-20-3 EC No. 202-049-5	1-10	Acute Tox. 4/H302 Carc. 2 /H351
			Aquatic Acute 1/H400 Aquatic Chronic 1/H410

For full text of abbreviations: see Section 16

Section 4: First aid measures

4.1 Description of first aid measures

General notes: Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact: Was with plenty of soap and water.

Following eye contact: Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion: Do NOT induce vomiting. Rinse mouth with water (only if the person is conscious).

4.2 Most important symptoms and effects, both acute and delayed

Choking and suffocation risks. Narcotic effects. Deficits in perception and coordination, reaction time, or sleepiness.

4.3 Indication of any immediate medical attention and special treatment needed None

Section 5: Fire-fighting measures

5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media: Carbon dioxide (CO2), BC-powder, foam, alcohol resistant foam, water mist

Unsuitable extinguishing media: Water jet

5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide if burning.



Hazardous combustion products

Carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Keep containers cool with water spray.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Avoid inhaling sprayed product. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g., cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of absorbent materials. Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilated affected area.

6.4 Reference to other sections

Hazardous combustion products: see Section 5. Personal protective equipment: see Section 8. Incompatible materials: see Section 10. Disposal considerations: see Section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use only in well ventilated areas. Use local and general ventilation.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding stuffs.



7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice.

Packaging compatibilities

Only packaging's which are approved (e.g., acc. to ADR) may be used.

Suitable materials and coatings for container/equipment: Carbon Steel, Stainless Steel, Polyester,

Polytetrafluoroethylene (PTFE), Polyvinyl Alcohol (PVA)

Unsuitable materials and coatings for container/equipment: Butyl Rubber, Natural Rubber, Ethylene-propylene-diene monomer (EPDM), Polystyrene, Polyethylene, Polyacrylonitrile.

7.3 Specific end use(s)

See attached exposure scenarios.

Section 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of Agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m ³]	Source
DE	Hydrocarbons, C10, aromatics, >1% naphthalene	64742- 94-5	AGW		50		50	TRGS900
DE	Naphthalene	91-20-3	AGW	0.4	2	1.6	8	TRGS900
EU	Naphthalene	91-20-3	IOELV	10	50			91/322/EEC
IE	Naphthalene	91-20-3	IOELV	10	50	15	75	S.I. No 619 of 2001

Notation

STEL: Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA: Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours' time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

Human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	12.5 mg/kg	Human, dermal	Worker (industry)	Chronic – Systemic effects
DNEL	151 mg/m ³	Human, inhalation	Worker (industry)	Chronic – Systemic effects
DNEL	7.5 mg/kg	Human, oral	Consumer (private households)	Chronic – systemic effects
DNEL	7.5 mg/kg	Human, dermal	Consumer (private households)	Chronic – systemic effects
DNEL	32 mg/m ³	Human, inhalation	Consumer (private households)	Chronic – systemic effects.



Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Naphthalene	91-20- 3	DNEL	25 mg/m ³	Human, inhalation	Worker (industry)	Chronic – local effects
Naphthalene	91-20- 3	DNEL	3.57 mg/kg	Human, dermal	Worker (industry)	Chronic – Systemic effects
Naphthalene	91-20- 3	DNEL	25 mg/m ³	Human, inhalatory	Worker, (industry)	Chronic – systemic effects
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Naphthalene	91-20- 3	PNEC	2.9 ^{mg} /l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)

8.2 Exposure controls /

Appropriate engineering controls

Technical measures and the appliance of appropriate working methods take priority over the use of personal protective equipment.

Safety and necessary control measure vary according to exposure conditions. Appropriate measures are: Open windows, door, to allow sufficient ventilation. If this is not possible employ a fan to increase air exchange (see attached exposure scenarios).

Individual protection measures (personal protective equipment)

Eye/face protection: Use safety goggles with side protection.

Skin protection: Hand protection – Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN374.

Short-term contact with the skin: Disposable gloves Long-term contact with the skin: Gloves with long cuffs

Check leak-tightness/impermeability prior to use.

Type of material: NBR: acrylonitrile-butadiene rubber, FKM: Fluoro-elastomer

Material thickness: 0,40mm

Breakthrough times of the glove material: >480 minutes (permeation: level 6)

Other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Body protection: Suitable protective clothing: Flame resistant clothing Suitable safety shoes: Anti-static safety shoes according to EN 345 S3

Respiratory protection: For activities in enclosed areas at elevated temperatures of the substance, local extraction or explosion protected ventilation equipment is recommended. In case this is not sufficient for the intended use, then apply a suitable respiratory protection according to EN140 type A or better (see exposure scenarios).

Environmental exposure controls.

Do not empty into drains.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid
Colour Clear
Odour Pungent
pH (value) not determined

Melting point/freezing point <-10°C (ASTM D 5950)

MATERIAL SAFETY DATA SHEET

C10 Aromatic Naphtha



Initial boiling point and boiling range 160-230°C (ASTM D 86)

Flash point >62°C (ASTM D 93)

Explosive limits
Lower explosion limit (LEL)

0.6 vol%

Upper explosion limit (UEL) 7 vol% Vapour pressure 0.06kPa @ 20°C

Density 0.8-19/cm3 @ 15°C Solubility(ies) not determined

Partition coefficient n-octanol water (log KOW) This information is not available

Auto-ignition temperature >400°C

Viscosity – kinematic viscosity 0.8-2 mm²/s @ 20°C

Explosive properties in use, may form flammable/explosive vapour air mixture

Oxidising properties none

9.2 Other information

Surface tension 29 – 32 mN/m (25°C) (Wilhelmy Plate)

Section 10: Stability and Reactivity

10.1 ReactivityThis material is not reactive under normal ambient

conditions

10.2 Chemical StabilityThe material is stable under normal ambient and anticipated

storage and handling conditions of temperature and

pressure (see below "Conditions to avoid").

10.3 Possibility of hazardous reactionsNo known hazardous reactions

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical / ventilating / lighting / equipment. Take precautionary measures against static discharge.

10.5 Incompatible materials Oxidisers

10.6 Hazardous decomposition productsNo known hazardous decomposition products.

Section 11: Toxicological Information

11.1 Information on toxicological effects:

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species
Oral	LD50	6,318 mg/kg	Rat
Dermal	LD50	>2,000 mg/kg	Rabbit
Inhalation: vapour	LC50	>4,688 mg/l /4h	Rat



Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser

Summary of evaluation of the CMR properties

Suspected of causing cancer

Shall not be classified as germ cell mutagenic.

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity (STOT)

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

If on skin. If inhaled.

Other information

Repeated exposure may cause skin dryness or cracking

Section 12: Ecological Information

12.1 Toxicity

Aquatic Toxicity (acute)

Endpoint	Value	Species	Exposure time
LL50	1 ^{mg} / _I	Algae	72 h
EL50	3 ^{mg} / _I	Daphnia magna	48 h

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment

Endpoint	Value	Species	Exposure time
NOELR	0.487 ^{mg} / _I	rainbow trout (Oncorhynchus mykiss)	28 D
NOELR	0.851 mg/ı	Daphnia magna	21 D

12.2 Persistence and degradability

The substance is readily biodegradable.

Process	Degradation rate	Time
Oxygen depletion	2.9%	5d

12.3 Bioaccumulative potential

Data are not available

12.4 Mobility in soil

Data are not available

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB

12.6 Other adverse effects

Data are not available



Section 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packaging's

Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAKE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Lists of waters

Proposed waste code(s) for the used product:

07 01 04x Other organic solvents, washing liquids and mother liquors.

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Section 14: Transport Information

14.1 UN Number 3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Technical name Hydrocarbons, C10, aromatics, >1% naphthalene

14.3 Transport hazard class(es) - Class 9 (miscellaneous dangerous substances and articles)

14.4 Packing group Ш

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user Provisions for dangerous goods (ADR) should be

complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN Number

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Technical name (hazardous constituents) Hydrocarbons, C10, aromatics, >1% naphthalene

Class

Classification code M6



Packing group Danger label(s)

9 + "fish and tree"

Environmental hazards Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Tunnel restriction code (TRC) Hazard identification No

yes (hazardous to the aquatic environment) 274,335,375,601 E1 5L 3 90 **Emergency Action Code** 3Z

International Maritime Dangerous Goods Code (IMDG)

UN Number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Proper shipping name

LIQUID, N.O.S. Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS

E1

SUBSTANCE, LIQUID, N.O.S., (Hydrocarbons, C10,

Environmentally hazardous substance, liquid, n.o.s.

Yes (hazardous to the aquatic environment)

aromatics, >1% naphthalene), 9, III

Class

yes (hazardous to the aquatic environment) Marine pollutant Packing group

9 + "fish and tree" Danger label(s)



Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) **EmS**

5L F-A, S-F Stowage category

International Civil Aviation Organisation (ICAO-IATA-DGR)

UN Number Proper shipping name

Class

Environmental hazards

Packing group

Danger label (s)

9 + "fish and tree"

Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)

A97, A158, A197

30kg



This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name of substance Hydrocarbons, C10, aromatics, >1% naphthalene

CAS No

Wt% 100

Type of registration 1907/2006/EC annex XVII

No 3

• List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list not listed

2012/18/EU (Seveso III)

No.	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	Environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100%

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100%

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) – Annex II

Not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD) Not listed.

National inventories

Country	Inventory	Status
AU	AICS	Substance is listed
CA	DSL	Substance is listed
CN	IECSC	Substance is listed
EU	ECSI	Substance is listed
EU	REACH Reg.	Substance is listed
JP	CSCL-ENCS	Not listed
JP	ISHA-ENCS	Not listed
KR	KECI	Substance is listed
MX	INSQ	Substance is listed
NZ	NZIoC	Substance is listed



PH	PICCS	Substance is listed
TR	CICR	Substance is listed
TW	TCSI	Substance is listed
US	TSCA	Substance is listed

Legend

AICS Australian Inventory of Chemical Substances. CICR Chemical Inventory and Control Regulation.

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS).

DSL Domestic Substance List (DSL).

ECSI EC Substance Inventory (EINECS, ELINCS, NLP).

IECSC Inventory of Existing Chemical Substances Produced or Imported in China.

INSQ National Inventory of Chemical Substances.

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS).

KECI Korea Existing Chemicals Inventory.
NZIoC New Zealand Inventory of Chemicals.

PICCS Philippine Inventory of Chemicals and Chemical Substances.

REACH Reg. REACH registered substances.

TCSI Taiwan Chemical Substance Inventory.

TSCA Toxic Substance Control Act.

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

Section 16: Other Information

16.1 Abbreviations and acronyms

Abbr. Descriptions of used abbreviations

91/322/EEC Commission Directive on establishing indicative limit values by implementing Council

Directive 80/1107/EEC

Acute Tox. Acute Toxicity

ADN Accord européen relatif au transport international des marchandises dangereuses par

voies de navigation intérieures (European Agreement concerning the International

Carriage of Dangerous Goods by Inland Waterways)

ADR Accord européen relatif au transport international des marchandises dangereuses par

route (European Agreement concerning the International Carriage of Dangerous Goods by

Road)

AGW Workplace exposure limit

Aquatic Acute Hazardous to the aquatic environment – acute hazard
Aquatic Chronic Hazardous to the aquatic environment – chronic hazard

Carc. Carcinogenicity

CAS Chemical Abstracts Service (service that maintains the most comprehensive list of

chemical substances)

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and

mixtures

CMR Carcinogenic, Mutagenic or toxic for Reproduction DGR Dangerous Goods Regulations (see IATA/DGR)

DMEL Derived Minimal Effect Level



DNEL Derived No-Effect Level

EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC

number, an identifier of substances commercially available within the EU (European

Union

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EmS Emergency Schedule

GHS Globally Harmonised System of Classification and Labelling of Chemicals – developed by

the United Nations

IATA International Air Transport Association

IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)

ICAO International Civil Aviation Organisation

IMDG International Maritime Dangerous Goods Code

index No The index number is the identification code given to the substance in Part 3 of Annex VI to

Regulation (EC) No 1272/2008

IOELV Indicative occupational exposure limit value

MARPOL International Convention for the Prevention of Pollution from Ships (abbr. of "Marine

Pollutant")

NLP No-Longer Polymer

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Accord européen relatif au transport international des marchandises dangereuses par

route (Regulations concerning the International carriage of Dangerous goods by rail)

S.I.No.619 of 2001 Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001

STEL Short-term exposure limit
SVHC Substance of Very High Concern
TRGS 900 Arbeitsplatzgrenzwerte (TRGS 900)

TWA Time-weighted average VOC Volatile Organic Compounds

vPvB Very Persistent and very Bioaccumulative

Key Literature references and sources for data

-Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

-Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) International Maritime Dangerous Goods Code (IMDG) International Air Transport Association (IATA)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code Text

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H336 May cause drowsiness or dizziness

H351 Suspected of causing cancer

MATERIAL SAFETY DATA SHEET

C10 Aromatic Naphtha



H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information concerning legal regulations can lay no claim to completeness. In addition to this, other provisions may also apply to the product.