



Diethyl Ether

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Diethyl Ether
CAS Number: 60-29-7
EC Number: 200-467-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company name: East Harbour Group Ltd
20 Clough Road, Severalls Industrial Park
Colchester, Essex, CO4 9QS
United Kingdom

Telephone: +44 (0) 333 242 0100
Email: info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone: 0800 246 1274

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 1), H224

Acute toxicity, Oral (Category 4), H302

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F+	Extremely flammable	R12
		R19
Xn	Harmful	R22
		R66
		R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Diethyl Ether

Labelling (REGULATION (EC) No 1272/2008)

Pictograms:



Signal word:

Danger

Hazard statements:

H224 Extremely flammable liquid and vapour
H302 Harmful if swallowed.
H336 May cause drowsiness or dizziness.

Precautionary statement(s):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/spray.

Supplemental Hazard information (EU)

EUH019

May form explosive peroxides.

EUH066

Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 3: Composition/information on ingredients

3.1 Substances

Synonyms:

Ether

Ethyl ether

Formula:

C₄H₁₀O

Molecular weight:

74,12 g/mol

CAS-No.:

60-29-7

EC-No.:

200-467-2

Index-No.:

603-022-00-4

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Diethyl ether		
CAS-No.	60-29-7	Flam. Liq. 1; Acute Tox. 4;
EC-No.	200-467-2	STOT SE 3; H224, H302
Index-No.	603-022-00-4	H336, EUH019, EUH066
		<= 100 %

Hazardous ingredients according to Directive 1999/45/EC

Component	Classification	Concentration
Diethyl ether		
CAS-No.	60-29-7	F+, Xn, R12 - R19 - R22 - R66
EC-No.	200-467-2	- R67
Index-No.	603-022-00-4	
		<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16



Diethyl Ether

Section 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-fighting measures

5.1 Extinguishing Media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers



Diethyl Ether

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Section 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



Diethyl Ether

8.3 Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: liquid
	Colour: colourless
Odor	sweet, ether-like
Odor Threshold	No data available
pH	No data available
Melting Point/Freezing point	Melting point/range: -115,99 °C
Initial boiling point and boiling range	34,6 °C at 1.013 hPa
Flash Point	-39,99 °C - closed cup - DIN 51755 Part 1
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosion limit	Upper explosion limit: 48 %(V) Lower explosion limit: 1,8 %(V)
Vapor Pressure	189 hPa at 0 °C 389 hPa at 10 °C 563 hPa at 20 °C 863 hPa at 30 °C 1.228 hPa at 40 °C 2.311 hPa at 60 °C
Vapor Density	2,56 - (Air = 1.0)
Relative Density	0,71 g/cm ³ at 20 °C
Water Solubility	65 g/l at 20 °C
Partition Coefficient	n- log Pow: 1,1 octanol/water
Auto-ignition temperature	170 °C
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available



Diethyl Ether

9.2 Other safety information

Relative vapour density 2,56 - (Air = 1.0)

Section 10: Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical Stability

Stable under recommended storage conditions. Contains the following stabiliser(s): BHT (1 ppm)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks

10.5 Incompatible materials

Oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

Section 11: Toxicological Information

11.1 Toxicological effects:

Acute Toxicity

LD50 Oral - Rat - 1.215 mg/kg
(OECD Test Guideline 401)

LC50 Inhalation - Mouse - 30 min - 31000 ppm
Remarks: Behavioral:Convulsions or effect on seizure threshold.

LC50 Inhalation - Rat - 4 h - 32000 ppm

LD50 Dermal - Rabbit - > 14,2 g/kg

Skin corrosion/irritation

Skin - Rabbit
Result: No skin irritation
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit
Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

in vivo assay - Mouse
Result: Did not cause sensitisation on laboratory animals.
(OECD Test Guideline 429)



Diethyl Ether

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: KI5775000

Inhalation may provoke the following symptoms: Cough, chest pain, Difficulty in breathing, Dizziness, Drowsiness, contact with eyes can cause: Redness, provokes tears., Blurred vision, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Liver - Ingestion may provoke the following symptoms: Irregularities - Based on Human Evidence

Section 12: Ecological Information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 2.560 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 165 mg/l - 24 h (DIN 38412)
Toxicity to algae	NOEC - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability Biodegradability

Result: - Not readily biodegradable

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).



Diethyl Ether

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

Section 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information

14.1 UN number

ADR/RID: 1155	IMDG: 1155	IATA: 1155
---------------	------------	------------

14.2 UN proper shipping name

ADR/RID: DIETHYL ETHER	IMDG: DIETHYL ETHER	IATA: Diethyl ether
------------------------	---------------------	---------------------

14.3 Transport hazard class(es)

ADR/RID: 3	IMDG: 3	IATA: 3
------------	---------	---------

14.4 Packaging group

ADR/RID: I	IMDG: I	IATA: I
------------	---------	---------

14.5 Environmental hazards

ADR/RID: No	IMDG Marine pollutant: No	IATA: No
-------------	---------------------------	----------

14.6 Special precautions for user

No data available

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.



Diethyl Ether

Section 15: Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
EUH019	May form explosive peroxides.
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq.	Flammable liquids
H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
STOT SE	Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

F+	Extremely flammable
Xn	Harmful R12 Extremely flammable.
R19	May form explosive peroxides.
R22	Harmful if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.