

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: CAS Number: EC Number: Isopropanol – Isopropyl Alcohol 67-63-0 200-661-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laboratory chemicals, Industrial & for professional use only

1.3 Details of the supplier of the safety data sheet

Company name:

East Harbour Group Ltd 20 Clough Road, Severalls Industrial Park Colchester, Essex, CO4 9QS United Kingdom

Telephone: Email: +44 (0) 333 242 0100 info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone:

0800 246 1274

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F	Highly flammable	R11
Xi	Irritant	R36
		R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements



Labelling according to Regulation (EC) No 1272/2008 Pictogram



Signal word

Hazard statement(s)	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Danger

Precautionary statement(s)

i i oouutionui y otutoino	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No	smoking.
P261	Avoid breathing vapours.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

None

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3.1 Substances

Synonyms:	sec-Propyl alcohol	
	Isopropyl alcohol	
	Isopropanol	
Formula:	C3H8O	
Molecular weight:	60,10 g/mol	
CAS-No.:	67-63-0	
EC-No.:	200-661-7	
Index-No.:	603-117-00-0	

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
2-Propanol		
CAS-No. 67-63-0 EC-No. 200-661-7 Index-No. 603-117-00-0	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336	<= 100 %

Hazardous ingredients according to Directive 1999/45/EC



Component 2-Propanol CAS-No. 67-63-0 EC-No. 200-661-7 Index-No. 603-117-00-0 Classification

F, Xi, R11 - R36 - R67

Concentration

<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

Section 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-fighting measures

5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.



Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Hygroscopic. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Section 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls /

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



8.3 Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Odor Odor Threshold pH Melting Point/Freezing Point Initial Boiling Point and Boiling Range Flash Point Evaporation Rate Flammability (solid, gas) Upper/Lower Flammability or Explosive Limits

Vapor Pressure

Vapor Density Relative Density Water Solubility Partition Coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Form: liquid Colour: colourless alcohol-like No data available No data available Melting point/range: -89,5 °C 82 °C 12,0 °C - closed cup 3,0 No data available Upper explosion limit: 12,7 %(V) Lower explosion limit: 2 %(V) 43,2 hPa at 20,0 °C 58.7 hPa at 25.0 °C No data available 0,785 g/mL at 25 °C completely soluble n- log Pow: 0,05 425,0 °C temperature No data available No data available

eastharbourgroup.com info@eastharbourgroup.com +44 (0)333 242 0100

Explosive properties Oxidizing properties

9.2 Other safety information Surface tension No data available No data available

20,8 mN/m at 25,0 °C

Section 10: Stability and Reactivity

10.1 Reactivity10.2 Chemical Stability10.3 Possibility of hazardous reactions10.4 Conditions to avoid10.5 Incompatible materials

10.6 Hazardous decomposition products

No data available Stable under recommended storage conditions. No data available Heat, flames and sparks. Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids Other decomposition products - No data available In the event of fire: see section 5

Section 11: Toxicological Information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 5.045 mg/kg Remarks: Behavioural: Altered sleep time (including change in righting reflex). Behavioural: Somnolence (general depressed activity). LC50 Inhalation - Rat - 8 h - 16000 ppm LD50 Dermal - Rabbit - 12.800 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: Mild skin irritation

Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation No data available

Germ cell mutagenicity No data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

Reproductive toxicity

No data available



MATERIAL SAFETY DATA SHEET

Isopropanol – Isopropyl Alcohol



Specific target organ toxicity - single exposure Inhalation, Oral - May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause: Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung oedema, Pneumonia To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Section 12: Ecological Information

12.1 Toxicity

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae

LC50 - Pimephales promelas (fathead minnow) -9.640,00 mg/l - 96 h EC50 - Daphnia magna (Water flea) - 5.102,00 mg/l -24 h

Immobilization EC50 - Daphnia magna (Water flea) -6.851 mg/l - 24 h EC50 - Desmodesmus subspicatus (green algae) - > 2.000,00 mg/l - 72h EC50 - Algae - > 1.000,00 mg/l - 24 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow ≤ 4).

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available



Section 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information		
14.1 UN number ADR/RID: 1219	IMDG: 1219	IATA: 1219
14.2 UN proper shipping name ADR/RID: ISOPROPANOL	IMDG: ISOPROPANOL	IATA: Isopropanol
14.3 Transport hazard class(es) ADR/RID: 3	IMDG: 3	IATA: 3
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user		

No data available

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15: Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out



Section 16: Other Information

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE	Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

F	Highly flammable
Xi	Irritant
R11	Highly flammable.
R36	Irritating to eyes.
R67	Vapours may cause drowsiness and dizziness.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.