

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product name: High Purity Atomized Spherical Magnesium (Mg) Powder  
CAS Number: 7439-95-4  
EC Number: 231-104-6

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Product use: Laboratory chemicals, Industrial & for professional use only

**1.3 Details of the supplier of the safety data sheet**

**Company name:** East Harbour Group Ltd  
20 Clough Road, Severalls Industrial Park  
Colchester, Essex, CO4 9QS  
United Kingdom

**Telephone:** +44 (0) 333 242 0100  
**Email:** [info@eastharbourgroup.com](mailto:info@eastharbourgroup.com)

**1.4 Emergency telephone number**

**Emergency telephone:** 0800 246 1274

**Section 2: Hazardous identification****2.1 Classification of the substance or mixture**

Classification according to 29 CFR 1910 (OSHA HCS)

H250 Pyr. Solid 1  
H260 Water React. Flam. Gas 1

For the full text of the H-Statements mentioned in this Section, see Section 16

**2.2 Label elements**

Hazard Pictograms



**Signal Word**

Danger

**Hazard Statements**

H228	Flammable solid.
H250	Catches fire spontaneously if exposed to air.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H260	In contact with water releases flammable gases which may ignite spontaneously.



# MAGNESIUM POWDER

## Precautionary Statements

P102	Keep out of reach of children.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P223	Do not allow contact with water.
P233	Keep container tightly closed.
P241	Use explosion-proof electrical / ventilating / lighting equipment.
P242	Use only non-sparking tools.
P261	Avoid breathing dust/fume/gas/vapors/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P312	Call a POISON CENTER/doctor if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P370 + P378	In case of fire: Use sand to extinguish.
P402 + P404	Store in a dry place. Store in a closed container.

## 2.3 Other Hazards

Not available

## Section 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	Atomized Magnesium, Atomized Spherical Magnesium
Formula	Mg
CAS Number	7439-95-4

### 3.2 Mixtures

Not applicable.

## Section 4: First aid measures

### 4.1 Description of first aid measures

#### General Advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### First-aid measures after inhalation

Provide fresh air. If not breathing, give artificial respiration. Get medical attention.

#### First-aid measures after skin contact

Wash off with plenty of water and soap. Remove contaminated clothing. Consult a physician.

#### First-aid measures after eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms develop.

**First-aid measures after ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation of dusts or fumes may irritate the respiratory tract and may cause metal fume fever. Symptoms may include coughing, chest pain and fever. Magnesium generates an intense bright white light when burning which can cause irreversible eye injury if looked at directly without ocular protection.



## MAGNESIUM POWDER

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### 4.4 Other Information

No data available.

## Section 5: Fire-fighting measures

### 5.1 Fire Fighting Media and Instructions:

Suitable Extinguishing Media  
Unsuitable Extinguishing Media

G-1 Graphite Powder, Dry Sand, Met-L-X Powder  
Water, Foam, Chlorinated products

### 5.2 Special hazards arising from the substance or mixture

Use of water on molten magnesium will produce hydrogen gas and may cause an explosion.

### 5.3 Advice for firefighters

Special protective equipment for firefighters - Wear full protective clothing with self-contained breathing apparatus. Fire fighters should protect their eyes and skin from flying particles.

### 5.4 Further Information

In order to prevent eye injury, do not look directly at magnesium fires.

## Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Wear personal protective equipment. Avoid dust formation. Do not breathe dust. Do not smoke, eat or drink. Do not use water to clean the spill.

### 6.2 Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Do not use water. If the material comes in contact with water: Proceed with caution. Evacuate area. Hydrogen may generate a fire or an explosion. Wear full-protective equipment and let the spillage dry.

### 6.4 Reference to other sections

For further information refer to section 13.

## Section 7: Handling and storage

### 7.1 Precautions for safe handling

Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid dust formation. Handle in accordance with good industrial hygiene and safety practice.

### Advice on Protection Against Fire and Explosion

Keep away from any possible contact with water. Use only non-sparking tools and equipment. Protect from moisture.



# MAGNESIUM POWDER

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Keep away from heat and sources of ignition. Flammables area. Humidity in the storage unit should be less than 85%.

### Incompatible Materials

Water, Bromine, Chlorine, Iodine, Acids, Oxidizers

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## Section 8: Exposure controls/personal protection

### 8.1 Control parameters

No data available.

### 8.2 Exposure controls / Appropriate engineering controls

Ensure adequate ventilation. Use explosion-proof electrical/ ventilating / lighting / equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Do not let dispersion of Magnesium dust into the general work area. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Hand Protection

Use antistatic gloves. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye Protection

Eye protection (EN 166). Tightly fitting safety goggles with side shields.

#### Skin and Body Protection

Impervious and antistatic clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory Protection

The EPA mandates the use of full-face respirators with minimum N100 grade cartridges if there is any risk of exposure to the dust. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Environmental Exposure Controls

Do not allow to enter into surface water or drains.

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Solid
Appearance	Powder
Colour	Silver-Gray
Odour	Odourless
Odour Threshold	No data available
pH	No data available
Relative Evaporation Rate	No data available



# MAGNESIUM POWDER

Melting Point	650 °C
Freezing Point	650 °C
Boiling Point	No data available
Flash Point	No data available
Auto-ignition Temperature	>300 °C
Decomposition Temperature	No data available
Flammability (solid, gas)	No data available
Vapor Pressure	No data available
Relative vapor density at 20°C	No data available
Relative Density	1.74 g/cm <sup>3</sup>
Solubility in H <sub>2</sub> O	Reacts with water
Log Pow	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties Lower:	No data available
Upper:	No data available
Oxidizing Properties	No data available

## 9.2 Other information

No other information available

## Section 10: Stability and Reactivity

### 10.1 Reactivity

### 10.2 Chemical Stability

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products

Water reactive.

Moisture sensitive. Pyrophoric. Magnesium when heated above 350°C may auto-ignite.

Magnesium in contact with moisture or acids will generate hydrogen which is highly dangerous fire or explosion hazard. Magnesium in finely divided form will react violently with oxidizing agents.

Avoid dust formation, incompatible products, exposure to air, exposure to moist air or water, excess heat

Water, Acids, Bases, Oxidizing Agents, Bromine, Chlorine, Iodine.

Hydrogen, Magnesium Nitride, Nitrogen Oxides

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute Toxicity Oral:

Not classified.

Dermal: No data available.

Respiratory: No data available.

Skin corrosion/irritation

Not irritating.

Serious eye damage/irritation

Not irritating.

Respiratory or Skin Sensitization

No effects known.

Germ Cell Mutagenicity

Not classified.

Carcinogenicity

Not classified.

Reproductive Toxicity

Not classified.

STOT-Single Exposure

No data available.



# MAGNESIUM POWDER

STOT-Repeated Exposure  
Aspiration Hazard

No data available.  
No data available.

## Section 12: Ecological Information

### 12.1 Toxicity

Ecology-general  
Acute aquatic toxicity  
Chronic aquatic toxicity

Not classified.  
No data available.  
No data available.

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

Do not allow product to enter surface waters, wastewater, or soil.

## Section 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material that cannot be saved for recovery or recycling should be handled as hazardous waste and sent to an approved waste facility. Processing, use or contamination of this product may change the waste management options. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of as unused product.

## Section 14: Transport Information

ADR	IMDG	IATA	RID
UN Number			
1418	1418	1418	1418
UN Proper Shipping Name			
MAGNESIUM POWDER	MAGNESIUM POWDER	MAGNESIUM POWDER	MAGNESIUM POWDER

#### Transport Document Description

4.3, II, Substances which, in contact with water, emit flammable gases, Solid  
 4.3, II, Substances which, in contact with water, emit flammable gases, Solid  
 4.3, II, Substances which, in contact with water, emit flammable gases, Solid  
 4.3, II, Substances which, in contact with water, emit flammable gases, Solid

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.



# MAGNESIUM POWDER

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 16: Other Information

### 16.1 Abbreviation of acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PBT	Persistent Bioaccumulative Toxic
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

### 16.2 Full text of H-statements

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

### 16.3 Hazard Classification

Health	0
Flammability	1
Reactivity	1
Special Hazards	

**Disclaimer** This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.